



FLIGHT INDUSTRIAL CO., LIMITED

Factory Address: Wuxiang Industrial Park, Wuxiang Town,
Yinzhou District, Ningbo, China
Sale Office: Room 2001, Huamao Headquarter 1 Plaza, Ningbo CBD,
Yinzhou, Ningbo, China
Zip Code: 315199
Tel: 86-574-88120819/88120829/83026316
Fax: 86-574-88120839
www.clamp-toggle.com
E-mail: manager@clamp-toggle.com
Skype Number: +8615888092209



USA, Canada, Mexico, Brazil, Chile, Spain, France, Netherland, Germany, Italy, Israel, The Russian Federation, Korea, Japan, Thailand, Singapore, Australia



FLIGHT INDUSTRIAL CO., LIMITED

Brief introduction

FLIGHT INDUSTRIAL CO., LIMITED is a professional manufacturer and exporter of toggle clamps, woodworking clamps, customized clamps etc.

Established on 2007, after 13 years' effort, we have already formed own perfect clamp design and production system. From clamp research and design, mould design, then sample-making and testing, finally bulk production.

Our clamps are nearly used in all applications of a manufacturing environment. In the metalworking industry, woodworking industry, assembling lines etc. Reliable workpieces clamping is a basic requirement for drilling, welding, bending, grinding, testing, assembling etc.

Our clamps are built to meet the most demanding requirements to keep your workpieces. Workpieces need to be held in a specific position using a specific clamping force in the shortest time. Once the workpiece is clamped, the processing is easily carried out. The following tasks can be fulfilled using our manual & pneumatic clamps.

- Quick clamping
- Secure holding
- High clamping forces in a variety of space requirements
- Distortion-free clamping of the workpiece
- Good accessibility to the workpiece

Now our products have already exported to USA, Canada, Mexico, Chile, Brazil, Spain, France, Italy, Netherlands, Germany, Japan, South Korea, Singapore, Thailand, UAE, Australia etc.

Warmly welcome the friends all over the world to visit us.

DIRECTORY



Vertical Hold Down Clamps

GTY-101A	GTY-101E	GTY-1210	GTY-10448	GTY-12050	GTY-12145
GTY-101B	GTY-101EL	GTY-1606	GTY-11412	GTY-12050U	GTY-12147
GTY-101D	GTY-101H	GTY-1608	GTY-11421	GTY-12130	GTY-12265
GTY-101D-150	GTY-102B	GTY-10247	GTY-12002B	GTY-12132	GTY-13002B
GTY-101D-200	GTY-1206	GTY-10444	GTY-12030	GTY-12135	GTY-13005
				GTY-12137	GTY-13009

Horizontal Hold Down Clamps

GTY-200W	GTY-201	GTY-203F	GTY-225D	GTY-20300	GTY-21384
GTY-200WH	GTY-201A	GTY-203FL	GTY-2205	GTY-20400	GTY-21502B
GTY-200WL	GTY-201B	GTY-203FLL	GTY-2206	GTY-20752B	GTY-22502B
GTY-200WLH	GTY-201C	GTY-204GBLH	GTY-2208	GTY-20800	
GTY-220WH	GTY-202F	GTY-204GB	GTY-2210	GTY-20820	
GTY-220WLH	GTY-202FL	GTY-204GBL	GTY-20235	GTY-21382	

Straight Line Action Clamps

GTY-301A	GTY-304C	GTY-304H	GTY-30509	GTY-36006	GTY-36080
GTY-301B	GTY-304E	GTY-305C	GTY-30519	GTY-36010	GTY-36092
GTY-302D	GTY-304EC	GTY-305E	GTY-30607	GTY-36020	GTY-36202
GTY-302F	GTY-304EF	GTY-305EL	GTY-31501	GTY-36060	GTY-36204
GTY-303E	GTY-304EL	GTY-305H	GTY-36003	GTY-36070	GTY-36224
					GTY-36330

Pull Action Latch Clamps

GTY-4001	GTY-4011	GTY-40334	GTY-40344	GTY-40840	GTY-451
GTY-4002	GTY-40323	GTY-40336	GTY-40370	GTY-40870	GTY-452
GTY-4003	GTY-40323S	GTY-40341	GTY-40371	GTY-431	GTY-4004
GTY-4003S	GTY-40324	GTY-40341S	GTY-40380	GTY-431S	GTY-4005
					GTY-4005A

Pneumatic Power Clamps

SD-10101-A	SD-12050-A	SD-12132-A	SD-20820-A	SD-36301M-A	SD-36330M-A
SD-10247-A	SD-12130-A	SD-12265-A	SD-30600HL-A	SD-36003M-A	SD-305-EMA

Heavy Duty Weldable Toggle Clamps

SD-70305	SD-70510	SD-70615	SD-70725	SD-71225	SD-72425
SD-70310	SD-70515	SD-70710	SD-71210	SD-72410	SD-702-CA
SD-70315	SD-70605	SD-70715	SD-71215	SD-72415	SD-702-DA
SD-70505	SD-70610	SD-70720	SD-71220	SD-72420	

Squeeze Action Clamps

GTY-50360	GTY-50380
-----------	-----------

Hardwood Handscrew

KL-5004-KL-5014




Vertical Hold Down Clamps



Unit: mm



GTY-101A/GTY-101ASS

Max. Holding Capacity: 50kg
Weight: 68g
Handle Opening: 56°
Clamp Bar Opening: 100°
GTY-101ASS Stainless Steel







GTY-101D-150/GTY-101D-150SS

Max. Holding Capacity: 180kg
Weight: 437g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-101DSS-150SS Stainless Steel



GTY-101B/GTY-101BSS

Max. Holding Capacity: 100kg
Weight: 133g
Handle Opening: 65°
Clamp Bar Opening: 90°
GTY-101BSS Stainless Steel






GTY-101D-200/GTY-101D-200SS

Max. Holding Capacity: 180kg
Weight: 470g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-101DSS-200SS Stainless Steel

GTY-101D/GTY-101DSS

Max. Holding Capacity: 180kg
Weight: 370g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-101DSS Stainless Steel



GTY-101E/GTY-101ESS

Max. Holding Capacity: 180kg
Weight: 400g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-101ESS Stainless Steel






Vertical Hold Down Clamps



Unit: mm




GTY-101EL/GTY-101ELSS

Max. Holding Capacity: 350kg
Weight: 820g
Handle Opening: 60°
Clamp Bar Opening: 90°
GTY-101ELSS Stainless Steel






GTY-101H/GTY-101HSS

Max. Holding Capacity: 450kg
Weight: 1215g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-101HSS Stainless Steel






GTY-102B/GTY-102BSS

Max. Holding Capacity: 100kg
Weight: 117g
Handle Opening: 65°
Clamp Bar Opening: 90°
GTY-102BSS Stainless Steel






GTY-1206/GTY-1206SS

Max. Holding Capacity: 120kg
Weight: 212g
Handle Opening: 65°
Clamp Bar Opening: 95°
GTY-1206SS Stainless Steel



GTY-1210/GTY-1210SS

Max. Holding Capacity: 260kg
Weight: 573g
Handle Opening: 65°
Clamp Bar Opening: 95°
GTY-1210SS Stainless Steel




Vertical Hold Down Clamps



Unit: mm


GTY-1606/GTY-1606SS

Max. Holding Capacity: 120kg
Weight: 245g
Handle Opening: 65°
Clamp Bar Opening: 95°
GTY-1606SS Stainless Steel




GTY-10247/GTY-10247SS

Max. Holding Capacity: 450kg
Weight: 1200g
Handle Opening: 58°
Clamp Bar Opening: 95°
GTY-10247SS Stainless Steel




GTY-10444

Max. Holding Capacity: 380kg
Weight: 920g
Handle Opening: 75°
Clamp Bar Opening: 129°




GTY-1608/GTY-1608SS

Max. Holding Capacity: 180kg
Weight: 410g
Handle Opening: 60°
Clamp Bar Opening: 95°
GTY-1608SS Stainless Steel



GTY-10448


Max. Holding Capacity: 380kg
Weight: 892g
Handle Opening: 75°
Clamp Bar Opening: 129°



Vertical Hold Down Clamps








Unit: mm




GTY-11412/GTY-11412SS

Max. Holding Capacity: 200kg
Weight: 450g
Handle Opening: 65°
Clamp Bar Opening: 110°
GTY-11412SS Stainless Steel






GTY-11421/GTY-11421SS

Max. Holding Capacity: 200kg
Weight: 364g
Handle Opening: 45°
Clamp Bar Opening: 95°
GTY-11421SS Stainless Steel





GTY-12002B/GTY-12002BSS

Max. Holding Capacity: 150kg
Weight: 247g
Handle Opening: 65°
Clamp Bar Opening: 95°
GTY-12002BSS Stainless Steel






GTY-12030/GTY-12030SS

Max. Holding Capacity: 120kg
Weight: 158g
Handle Opening: 65°
Clamp Bar Opening: 105°
GTY-12030SS Stainless Steel






GTY-12050/GTY-12050SS

Max. Holding Capacity: 100kg
Weight: 145g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12050SS Stainless Steel



GTY-12050U/GTY-12050USS

Max. Holding Capacity: 100kg
Weight: 148g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12050USS Stainless Steel



Vertical Hold Down Clamps







Unit: mm





GTY-12130/GTY-12130SS

Max. Holding Capacity: 220kg
Weight: 360g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12130SS Stainless Steel






GTY-12137/GTY-12137SS

Max. Holding Capacity: 220kg
Weight: 376g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12137SS Stainless Steel




GTY-12132/GTY-12132SS

Max. Holding Capacity: 220kg
Weight: 376g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12132SS Stainless Steel






GTY-12145/GTY-12145SS

Max. Holding Capacity: 220kg
Weight: 361g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12145SS Stainless Steel





GTY-12135/GTY-12135SS

Max. Holding Capacity: 220kg
Weight: 360g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12135SS Stainless Steel



GTY-12147/GTY-12147SS


Max. Holding Capacity: 220kg
Weight: 371g
Handle Opening: 60°
Clamp Bar Opening: 100°
GTY-12147SS Stainless Steel



Vertical Hold Down Clamps



Unit: mm




GTY-12265/GTY-12265SS

Max. Holding Capacity: 330kg
Weight: 652g
Handle Opening: 60°
Clamp Bar Opening: 105°
GTY-12265SS Stainless Steel





GTY-13005/GTY-13005SS

Max. Holding Capacity: 60kg
Weight: 58g
Handle Opening: 160°
Clamp Bar Opening: 90°
GTY-13005SS Stainless Steel





GTY-13002B/GTY-13002BSS

Max. Holding Capacity: 240kg
Weight: 480g
Handle Opening: 70°
Clamp Bar Opening: 106°
GTY-13002BSS Stainless Steel



GTY-13009/GTY-13009SS

Max. Holding Capacity: 30kg
Weight: 45g
Handle Opening: 85°
Clamp Bar Opening: 80°
GTY-13009SS Stainless Steel



Horizontal Hold Down Clamps







Unit: mm



GTY-200W/GTY-200WSS

Max. Holding Capacity: 400kg
Weight: 606g
Handle Opening: 80°
Clamp Bar Opening: 80°
GTY-200WSS Stainless Steel





GTY-200WH/GTY-200WHSS

Max. Holding Capacity: 400kg
Weight: 685g
Handle Opening: 80°
Clamp Bar Opening: 80°
GTY-200WHSS Stainless Steel







GTY-200WL/GTY-200WLSS

Max. Holding Capacity: 400kg
Weight: 653g
Handle Opening: 80°
Clamp Bar Opening: 80°
GTY-200WLSS Stainless Steel



GTY-200WLH/GTY-200WLHSS

Max. Holding Capacity: 400kg
Weight: 726g
Handle Opening: 80°
Clamp Bar Opening: 80°
GTY-200WLHSS Stainless Steel





GTY-220WH/GTY-220WHSS

Max. Holding Capacity: 400kg
Weight: 796g
Handle Opening: 80°
Clamp Bar Opening: 80°
GTY-220WHSS Stainless Steel

GTY-220WLH/GTY-220WLHSS


Max. Holding Capacity: 400kg
Weight: 846g
Handle Opening: 80°
Clamp Bar Opening: 80°
GTY-220WLHSS Stainless Steel



Horizontal Hold Down Clamps





Unit: mm




GTY-201/GTY-201SS

Max. Holding Capacity: 27kg
Weight: 31g
Handle Opening: 80°
Clamp Bar Opening: 85°
GTY-201SS Stainless Steel






GTY-201A/GTY-201ASS

Max. Holding Capacity: 27kg
Weight: 30g
Handle Opening: 80°
Clamp Bar Opening: 85°
GTY-201ASS Stainless Steel






GTY-201B/GTY-201BSS

Max. Holding Capacity: 90kg
Weight: 129g
Handle Opening: 60°
Clamp Bar Opening: 85°
GTY-201BSS Stainless Steel




GTY-201C/GTY-201CSS

Max. Holding Capacity: 110kg
Weight: 147g
Handle Opening: 85°
Clamp Bar Opening: 80°
GTY-201CSS Stainless Steel



GTY-202F/GTY-202FSS


Max. Holding Capacity: 225kg
Weight: 449g
Handle Opening: 60°
Clamp Bar Opening: 90°
GTY-202FSS Stainless Steel



Horizontal Hold Down Clamps



Unit: mm





GTY-202FL/GTY-202FLSS

Max. Holding Capacity: 225kg
Weight: 480g
Handle Opening: 60°
Clamp Bar Opening: 90°
GTY-202FLSS Stainless Steel





GTY-203F/GTY-203FSS

Max. Holding Capacity: 225kg
Weight: 403g
Handle Opening: 60°
Clamp Bar Opening: 90°
GTY-203FSS Stainless Steel





GTY-203FL/GTY-203FLSS

Max. Holding Capacity: 225kg
Weight: 434g
Handle Opening: 60°
Clamp Bar Opening: 90°
GTY-203FLSS Stainless Steel





GTY-203FLL/GTY-203FLLSS

Max. Holding Capacity: 225kg
Weight: 537g
Handle Opening: 60°
Clamp Bar Opening: 90°
GTY-203FLLSS Stainless Steel





GTY-204BLH

Max. Holding Capacity: 630kg
Weight: 1500g
Handle Opening: 90°
Clamp Bar Opening: 90°



GTY-204GB

Max. Holding Capacity: 630kg
Weight: 1200g
Handle Opening: 90°
Clamp Bar Opening: 90°



Horizontal Hold Down Clamps





Unit: mm





GTY-204GBL

Max. Holding Capacity: 630kg
Weight: 1300g
Handle Opening: 90°
Clamp Bar Opening: 90°





GTY-2206/GTY-2206SS

Max. Holding Capacity: 200kg
Weight: 278g
Handle Opening: 65°
Clamp Bar Opening: 85°
GTY-2206SS Stainless Steel





GTY-225D/GTY-225DSS

Max. Holding Capacity: 225kg
Weight: 249g
Handle Opening: 65°
Clamp Bar Opening: 90°
GTY-225DSS Stainless Steel





GTY-2208/GTY-2208SS

Max. Holding Capacity: 227kg
Weight: 406g
Handle Opening: 60°
Clamp Bar Opening: 85°
GTY-2208SS Stainless Steel





GTY-2205/GTY-2205SS

Max. Holding Capacity: 70kg
Weight: 105g
Handle Opening: 70°
Clamp Bar Opening: 80°
GTY-2205SS Stainless Steel



GTY-2210/GTY-2210SS



Max. Holding Capacity: 330kg
Weight: 717g
Handle Opening: 65°
Clamp Bar Opening: 85°
GTY-2210SS Stainless Steel



Horizontal Hold Down Clamps



Unit: mm






GTY-20235/GTY-20235SS

Max. Holding Capacity: 335kg
Weight: 587g
Handle Opening: 60°
Clamp Bar Opening: 90°
GTY-20235SS Stainless Steel


GTY-20300/GTY-20300SS

Max. Holding Capacity: 30kg
Weight: 60g
Handle Opening: 55°
Clamp Bar Opening: 65°
GTY-20300SS Stainless Steel





GTY-20400/GTY-20400SS

Max. Holding Capacity: 20kg
Weight: 32g
Handle Opening: 60°
Clamp Bar Opening: 55°
GTY-20400SS Stainless Steel





GTY-20752B/GTY-20752BSS

Max. Holding Capacity: 70kg
Weight: 90g
Handle Opening: 75°
Clamp Bar Opening: 92°
GTY-20752BSS Stainless Steel



GTY-20800/GTY-20800SS

Max. Holding Capacity: 30kg
Weight: 45g
Handle Opening: 90°
Clamp Bar Opening: 80°
GTY-20800SS Stainless Steel





Horizontal Hold Down Clamps



Unit: mm


GTY-20820/GTY-20820SS

Max. Holding Capacity: 100kg
Weight: 393g
Handle Opening: 60°
Clamp Bar Opening: 185°
GTY-20820SS Stainless Steel





GTY-21384/GTY-21384SS

Max. Holding Capacity: 500kg
Weight: 666g
Handle Opening: 70°
Clamp Bar Opening: 85°
GTY-21384SS Stainless Steel





GTY-21502B/GTY-21502BSS

Max. Holding Capacity: 125kg
Weight: 232g
Handle Opening: 75°
Clamp Bar Opening: 92°
GTY-21502BSS Stainless Steel





GTY-21382/GTY-21382SS

Max. Holding Capacity: 200kg
Weight: 278g
Handle Opening: 80°
Clamp Bar Opening: 75°
GTY-21382SS Stainless Steel



GTY-22502B/GTY-22502BSS


Max. Holding Capacity: 225kg
Weight: 431g
Handle Opening: 75°
Clamp Bar Opening: 92°
GTY-22502BSS Stainless Steel



Straight Line Action Clamps




Unit: mm






GTY-301A/GTY-301ASS

Max. Holding Capacity: 45kg
Weight: 46g
Handle Opening: 190°
Plunger Travel: 16mm
GTY-301ASS Stainless Steel





GTY-301B/GTY-301BSS

Max. Holding Capacity: 45kg
Weight: 49g
Handle Opening: 190°
Plunger Travel: 16mm
GTY-301BSS Stainless Steel





GTY-302D/GTY-302DSS

Max. Holding Capacity: 160kg
Weight: 473g
Handle Opening: 45°
Plunger Travel: 12mm
GTY-302DSS Stainless Steel




GTY-302F/GTY-302FSS

Max. Holding Capacity: 135kg
Weight: 303g
Handle Opening: 180°
Plunger Travel: 32mm
GTY-302FSS Stainless Steel



GTY-303E/GTY-303ESS




Max. Holding Capacity: 450kg
Weight: 920g
Handle Opening: 180°
Plunger Travel: 50mm
GTY-303ESS Stainless Steel



Straight Line Action Clamps


GTY-304C/GTY-304CSS

Max. Holding Capacity: 225kg
Weight: 386g
Handle Opening: 180°
Plunger Travel: 32mm
GTY-304CSS Stainless Steel



GTY-304E/GTY-304ESS

Max. Holding Capacity: 385kg
Weight: 586g
Handle Opening: 180°
Plunger Travel: 42mm
GTY-304ESS Stainless Steel




Unit: mm





GTY-304EC/GTY-304ECSS

Max. Holding Capacity: 385kg
Weight: 586g
Handle Opening: 180°
Plunger Travel: 42mm
GTY-304ECSS Stainless Steel




GTY-304EF/GTY-304EFSS

Max. Holding Capacity: 385kg
Weight: 622g
Handle Opening: 180°
Plunger Travel: 42mm
GTY-304EFSS Stainless Steel



GTY-304EL/GTY-304ELSS

Max. Holding Capacity: 380kg
Weight: 711g
Handle Opening: 180°
Plunger Travel: 60mm
GTY-304ELSS Stainless Steel




Straight Line Action Clamps



Unit: mm



GTY-304H/GTY-304HSS

Max. Holding Capacity: 680kg
Weight: 1350g
Handle Opening: 180°
Plunger Travel: 60mm
GTY-304HSS Stainless Steel





GTY-305C/GTY-305CSS

Max. Holding Capacity: 225kg
Weight: 385g
Handle Opening: 180°
Plunger Travel: 32mm
GTY-305CSS Stainless Steel




GTY-305E/GTY-305ESS

Max. Holding Capacity: 385kg
Weight: 586g
Handle Opening: 180°
Plunger Travel: 42mm
GTY-305ESS Stainless Steel




GTY-305EL/GTY-305ELSS

Max. Holding Capacity: 380kg
Weight: 712g
Handle Opening: 180°
Plunger Travel: 60mm
GTY-305ELSS Stainless Steel



GTY-305H/GTY-305HSS


Max. Holding Capacity: 680kg
Weight: 1350g
Handle Opening: 180°
Plunger Travel: 60mm
GTY-305HSS Stainless Steel



Straight Line Action Clamps




Unit: mm




GTY-30509

Max. Holding Capacity: 1100kg
Weight: 1300g
Handle Opening: 90°
Plunger Travel: 46mm




GTY-30607/GTY-30607SS

Max. Holding Capacity: 310kg
Weight: 615g
Handle Opening: 180°
Plunger Travel: 41.5mm
GTY-30607SS Stainless Steel




GTY-31501/GTY-31501SS

Max. Holding Capacity: 200kg
Weight: 380g
Handle Opening: 190°
Plunger Travel: 30mm
GTY-31501SS Stainless Steel





GTY-30519

Max. Holding Capacity: 1100kg
Weight: 1650g
Handle Opening: 180°
Plunger Travel: 60mm



GTY-36003/GTY-36003SS

Max. Holding Capacity: 260kg
Weight: 395g
Handle Opening: 180°
Plunger Travel: 32mm
GTY-36003SS Stainless Steel




Straight Line Action Clamps





GTY-36006/GTY-36006SS

Max. Holding Capacity: 50kg
Weight: 62g
Handle Opening: 90°
Plunger Travel: 12mm
GTY-36006SS Stainless Steel



GTY-36010/GTY-36010SS

Max. Holding Capacity: 360kg
Weight: 772g
Handle Opening: 180°
Plunger Travel: 40mm
GTY-36010SS Stainless Steel



GTY-36020/GTY-36020SS


Max. Holding Capacity: 180kg
Weight: 350g
Handle Opening: 120°
Plunger Travel: 28mm
GTY-36020SS Stainless Steel



Unit: mm



GTY-36060/GTY-36060SS

Max. Holding Capacity: 300kg
Weight: 662g
Handle Opening: 75°
Plunger Travel: 27mm
GTY-36060SS Stainless Steel




GTY-36070/GTY-36070SS

Max. Holding Capacity: 50kg
Weight: 101g
Handle Opening: 66°
Plunger Travel: 12mm
GTY-36070SS Stainless Steel



GTY-36080/GTY-36080SS


Max. Holding Capacity: 600kg
Weight: 1250g
Handle Opening: 180°
Plunger Travel: 80mm
GTY-36080SS Stainless Steel



Straight Line Action Clamps



Unit: mm




GTY-36092/GTY-36092SS

Max. Holding Capacity: 180kg
Weight: 347g
Handle Opening: 180°
Plunger Travel: 32mm
GTY-36092SS Stainless Steel





GTY-36204/GTY-36204SS

Max. Holding Capacity: 130kg
Weight: 290g
Handle Opening: 180°
Plunger Travel: 38mm
GTY-36204SS Stainless Steel







GTY-36202/GTY-36202SS

Max. Holding Capacity: 90kg
Weight: 118g
Handle Opening: 180°
Plunger Travel: 21mm
GTY-36202SS Stainless Steel



GTY-36224/GTY-36224SS

Max. Holding Capacity: 300kg
Weight: 772g
Handle Opening: 180°
Plunger Travel: 66mm
GTY-36224SS Stainless Steel



GTY-36330/GTY-36330SS

Max. Holding Capacity: 680kg
Weight: 947g
Handle Opening: 180°
Plunger Travel: 51mm
GTY-36330SS Stainless Steel

Pull Action Latch Clamps





Unit: mm




GTY-4001/GTY-4001SS

Max. Holding Capacity: 100kg
Weight: 44g
GTY-4001SS Stainless Steel





GTY-4003S/GTY-4003SS-S

Holding Capacity: 300kg
Weight: 255g
GTY-4003S Self Locking Device
GTY-4003SS-S Stainless Steel




GTY-4002/GTY-4002SS

Max. Holding Capacity: 180kg
Weight: 95g
GTY-4002SS Stainless Steel





GTY-4011/GTY-4011SS

Max. Holding Capacity: 100kg
Weight: 50g
GTY-4011SS Stainless Steel



GTY-4003/GTY-4003SS



Max. Holding Capacity: 300kg
Weight: 230g
GTY-4003SS Stainless Steel



GTY-40323/GTY-40323SS

GTY-40323S/GTY-40323SS-S

Max. Holding Capacity: 150kg
Weight: 78g
GTY-40323SS Stainless Steel



Pull Action Latch Clamps




Unit: mm





GTY-40324/GTY-40324SS

Max. Holding Capacity: 150kg
Weight: 100g
GTY-40324SS Stainless Steel




GTY-40336/GTY-40336SS

Max. Holding Capacity: 190kg
Weight: 192g
GTY-40336SS Stainless Steel




GTY-40334/GTY-40334SS

Max. Holding Capacity: 400kg
Weight: 292g
GTY-40334SS Stainless Steel



GTY-40341/GTY-40341SS GTY-40341S/GTY-40341SS-S


Holding Capacity: 880kg
Weight: 665g
GTY-40341S Self locking Device
GTY-40341SS Stainless Steel



Pull Action Latch Clamps



Unit: mm




GTY-40344/GTY-40344SS

Max. Holding Capacity: 880kg

Weight: 600g

GTY-40344SS Stainless Steel





GTY-40370/GTY-40370SS

Max. Holding Capacity: 1800kg

Weight: 1750g

GTY-40370SS Stainless Steel






GTY-40371/GTY-40371SS

Max. Holding Capacity: 300kg

Weight: 627g

GTY-40371SS Stainless Steel



GTY-40380/GTY-40380SS

Max. Holding Capacity: 3000kg

Weight: 2000g

GTY-40380SS Stainless Steel





GTY-40840/GTY-40840SS

Holding Capacity: 250kg

Weight: 310g

GTY-40840SS Stainless Steel



Pull Action Latch Clamps






Unit: mm

GTY-40870/GTY-40870SS

Holding Capacity: 650kg

Weight: 680g

GTY-40870SS Stainless Steel



GTY-451/GTY-451SS

Max. Holding Capacity: 160kg

Weight: 293g

GTY-451SS Stainless Steel

GTY-431/GTY-431SS



GTY-431S/GTY-431SS-S

Holding Capacity: 300kg

Weight: 223g

GTY-431S Self locking Device

GTY-431SS Stainless Steel





GTY-452/GTY-452SS

Max. Holding Capacity: 160kg

Weight: 244g

GTY-452SS Stainless Steel



Pull Action Latch Clamps





Unit: mm



GTY-4004/GTY-4004SS

Holding Capacity: 500kg
Weight: 300g
Plunger Travel: 20m/m




GTY-4005A/GTY-4005ASS

Holding Capacity: 1600kg
Weight: 1182g
Plunger Travel: 40m/m



GTY-4005/GTY-4005SS

Holding Capacity: 1500kg
Weight: 1040g
Plunger Travel: 85m/m



SD-10101-A



SD-10247-A



SD-30600HL-A



SD-12050-A
SD-12050-UA



SD-12130-A
SD-12132-A




SD-12265-A



SD-305-EMA



SD-36003M-A






SD-20820-A



SD-36301M-A



SD-36330M-A



MODEL	Clamp Bar Opening	connector size	P	A	B	D	Enclosure	F	G	H	J
SD-10101-A	82°	1/8NPT	168.5	40.7	4.8	24	SD-10-043707	17.5	23.8	15.9	3.2
SD-12050-A	105°	1/8NPT	185	55.7	6.3	35	SD-10-086512	27	27	12.7	5.2
SD-12130-A	92°	1/8NPT	236.5	75.4	10.3	68	SD-10-086512	33.9	32	19	7.1
SD-12132-A	92°	1/8NPT	260	75.3	10.3	88	SD-10-086512	34.2	32	19	7.1
SD-12265-A	86°	1/8NPT	392	93.7	9.5	88.2	SD-10-108015	44.2	45.2	31.8	8.3
SD-12275-A	86°	1/8NPT	302	93.7	9.5	88.2	SD-10-108015	44.2	45.2	31.8	8.3
SD-10247-A	100°	1/8NPT	407	110	18.9	114.8	SD-10-128017	55.3	45.2	31.8	8.3
SD-10249-A	100°	1/8NPT	407	110	18.9	114.8	SD-10-128017	55.3	45.2	31.8	8.3
SD-20820-A	90°	1/8NPT	165	195	16.5	60	SD-10-086512	70	25	16	7

MODEL	connector size	A	B	D	Enclosure	F	G	H	h	J	L	M
SD-36301-A	1/8NPT	40	8.3	32.2	SD-20-042007	13.6	15.9	15.9	-	#8	12	6.4
SD-36003-A	1/8NPT	69.5	7.1	58	SD-20-085012	27.7	33.3	36.5	-	4.8	19.7	11.1
SD-36330-A	1/8NPT	84	12.7	51.5	SD-20-106515	26.6	41.3	34.9	41.3	8	30	15.9
SD-305-EA	1/8NPT	77.2	9.5	75	SD-20-126517	34.8	41.3	41.3	-	8.7	23.6	15.9
SD-30600HL-A		-		38	SD-20-086512	14	33.6	36.5	-	5.5	30	14

Heavy Duty Weldable Toggle Clamps



Unit: mm




SD-70310
SD-70510
SD-70610

SD-70315
SD-70515
SD-70615



SD-70305
SD-70505
SD-70605




Model	Weight	Holding Capacity	Handle Opening	Clamp Bar Opening	ΦA	B	C	D	D1	E	F	G	H	K	K1	L
SD-70305	760	500	134°	214°	17.5	125	4.8	-	-	10	31.8	40	15	-	-	51
SD-70310	850							20	50					29	45	
SD-70315	940							-	-					-	-	
SD-70505	1330	1000	130°	206°	22.2	125	4.8	28	-	12.3	40.3	57	26	38	-	73
SD-70510	1490							63.5	63.5					-	51	
SD-70515	1590							-	-					-	-	
SD-70605	2550	2000	130°	206°	27	125	6.3	-	-	16	48.6	74.3	33	51	-	91
SD-70610	2830							33	-					-	63.5	
SD-70615	2950							76	76					-	-	



SD-702-CA/SD-702-DA

Model	Connector Size	P	A	B	C	D	E	F	L	M
SD-702-CA	NPT	260	185	103	80	27	8	58	8.5	12
SD-702-DA	NPT	315	315	142	110	34	13	81	11	14



SD-70710
SD-71210
SD-72410






SD-70715
SD-71215
SD-72415



SD-70720
SD-71220
SD-72420




SD-70725
SD-71225
SD-72425



Model	Weight(g)	Holding Capacity(kg)	Handle Opening	Clamp Bar Opening
SD-70710	700	700	130°	205°
SD-70715	800		130°	205°
SD-70720	1100		130°	205°
SD-70725	1250	1200	120°	180°
SD-71210	1300		130°	195°
SD-71215	1450		130°	195°
SD-71220	1800	2400	125°	180°
SD-71225	1950		130°	195°
SD-72410	2900		130°	195°
SD-72415	3200			
SD-72420	3750			
SD-72425	4100			


Model	A	B	C	D	E	F	G	ΦH	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	ΦZ
SD-70710	40	23	16	20	51	10	10	20	38	52	29	–	94	20	–	25										
SD-70715	40	23	16	20	51	10	10	20	38	52	–	45	94	–	50	25										
SD-70720	–	104	51	–	–	–	12.2	10	–	–	–	25	45	20	40	25	50	70	22	30	10	20	–	215	235	–
SD-70725	124	25	51	10	25	50	12.2	10	5	28	48	25	45	20	40	25	–	–	22	30	–	–	67	215	235	8.3
SD-71210	57	25	24	24	58	12	12	22	45	73	38	–	113	28	–	40										
SD-71215	57	124	24	24	58	12	12	22	45	73	–	50	113	–	63	40										
SD-71220	–	–	58	–	–	–	12.2	12	–	–	–	25	50	24	50	50	63	85	26	30	12	24	–	276	303	–
SD-71225	144	35	58	10	30	60	12.2	12	6	36	58	25	50	24	50	50	–	–	26	30	–	–	88	276	303	8.3
SD-72410	72	35	26	32	66	16	16	30	53	91	52	–	144	33	–	60										
SD-72415	72	163	26	32	66	16	16	30	53	91	–	63	144	–	76	60										
SD-72420	–	–	66	–	–	–	16.3	16	–	–	–	40	63	35	60	75	76	105	32	38	16	32	–	295	318	–
SD-72425	188	–	66	12	40	75	16.3	16	8	46	70	40	63	35	60	75	–	–	32	38	–	–	105	295	318	10.3

Squeeze Action Clamps



Model	Holding Capacity	Unit Weight(g)
50360	1590N	290

GTY-50360



Model	Holding Capacity	Unit Weight(g)
50380	3180N	660

GTY-50380



Hardwood Handscrew



KL-5004/KL-5014

Model	Max Opening Between Jaws	Reach Middle Spinple To Jaw	Wood Length	Unit Weight(g)
KL-5004	2"	2"	4"	250
KL-5005	2-1/2"	2-1/2"	5"	300
KL-5006	3"	3"	6"	500
KL-5007	3-1/2"	3-1/2"	7"	600
KL-5008	4-1/2"	4"	8"	1000
KL-5010	6-1/2"	5"	10"	1200
KL-5012	8-1/2"	6"	12"	2000
KL-5014	10"	7"	14"	2200